

T E C H N I C A L B U L L E T I N

#101 December 3, 1997

TWENTYTWENTY®-STYLE FACEPIECE HEADNET™ INSTALLATION AND ORIENTATION PROCEDURES

This Technical Bulletin provides the procedures necessary to verify the proper attachment configuration and orientation of the 962270 Headnet Kit on TwentyTwenty-style facepieces. The proper attachment configuration and orientation of the three upper straps is essential to assuring the proper fit of the Headnet.

*******WARNING*******

Remove the top three buckles and buckle straps from the facepiece prior to installation. Failure to do so will adversely affect the fit of the facepiece after the Headnet has been installed. Poor facepiece fit could cause the wearer to inhale contaminants, resulting in illness or death.

INSPECTION

Read the attached installation instructions, paying particular attention to Section VI, INSTALLATION, items 2, 3 & 4 and Figure 1, Top Straps Installation. Compare the installation of your Headnet to the one shown in Figure 1 to verify proper installation of the Headnet. If the installation of your Headnet differs from that shown in Figure 1, remove the Headnet and reinstall following the installation instructions and all Warnings, Cautions, and Notes.

ATTACHMENT: Installation Instructions



**TwentyTwenty[®]
Facepiece Headnet™ Kit
P/N 962270**

Installation Instructions

I. INTRODUCTION

This instruction sheet describes the installation procedures for SURVIVAIR's TwentyTwenty[®] Headnet™ Kit. This installation may be performed by users and/or a SURVIVAIR certified technician. *You must read and understand this instruction sheet and be properly trained before attempting installation or operation of this device.*

*****WARNING*****

The Operation Instructions supplied with this kit must be provided to the user of the modified SCBA.

NOTE

All SURVIVAIR certified technicians are required to remain current on new procedures and parts through SURVIVAIR's published Technical Bulletins, technical manual revisions, and certification seminars.

II. SAFETY PRECAUTIONS

The Warnings, Cautions, and Notes contained in this instruction sheet have the following significance.

*****WARNING*****

Maintenance or operating procedures and techniques that will result in personal injury or death if not carefully followed.

CAUTION

Maintenance or operating procedures and techniques that will result in damage to equipment if not carefully followed.

NOTE

Maintenance or operating procedures and techniques or information considered important enough to emphasize.

III. DESCRIPTION

The TwentyTwenty[®] SCBA facepiece can be modified by removing the facepiece headstrap and replacing it with the Headnet supplied in kit P/N 962270.

IV. PARTS LIST

| QTY | P/N | DESCRIPTION |
|-----|--------|------------------------------------|
| 1 | 962521 | TwentyTwenty [®] Headnet™ |
| 1 | 962272 | Installation Instructions |
| 1 | 962273 | Operation Instructions |

V. TOOL LIST

No tools are required.

VI. INSTALLATION

1. Remove the existing headstrap from the TwentyTwenty SCBA facepiece.
2. Remove the top three buckles and buckle straps from the upper rim.
3. Insert the three top straps through the slots in the upper rim as shown in Figure 1.




Figure 1. Top Straps Installation

4. Pull the straps to ensure that they lock in the slots.
5. Route the elastic adjustment straps through the bottom facepiece buckles as shown in Figure 2.




Figure 2. Elastic Adjustment Straps Routing

6. Leave enough slack in the elastic adjustment straps to allow them to be pulled over your head.

VII. TESTING

Pull on the top three straps to ensure they do not pull out from the rim slots.

VIII. ADDITIONAL INFORMATION

If you need additional information on any SURVIVAIR product, consult your local distributor or contact:

SURVIVAIR, Inc.
3001 South Susan Street
Santa Ana, CA 92704
(714) 545-0410 or (800) 821-7236
FAX (800) 201-4407

IX. WARRANT AND LIMITATION OF LIABILITY

LIMITED WARRANTY: SURVIVAIR[®] warrants this product to be free from defects in materials and workmanship for 1 year from the date of purchase. During this period, SURVIVAIR will repair or replace defective parts, at SURVIVAIR's option. Freight charges

to and from the SURVIVAIR factory shall be paid by the purchaser.

EXCLUSIONS: NOTWITHSTANDING ANY CONTRARY TERM IN THE PURCHASER'S PURCHASE ORDER OR OTHERWISE, THE ONLY WARRANTY EXTENDED BY SURVIVAIR IS THE EXPRESSED LIMITED WARRANTY DEFINED ABOVE. THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ANY IMPLIED WARRANTY OF MERCHANT ABILITY, OR FITNESS FOR A PARTICULAR PURPOSE.

CONDITIONS: To maintain this warranty this product must be used, maintained, and inspected as prescribed in the owner's instruction manual, including prompt replacement or repair of defective parts and such other necessary maintenance and repair as may be required. Normal wear and tear, and parts damaged by abuse, misuse, negligence, or accident are specifically excluded from this warranty.

LIMITATION OF LIABILITY: No other oral warranties, representations, or guarantees of any kind have been made by SURVIVAIR, its distributors, or the agents of either of them, that in any way alter the terms of this warranty. **EXCEPT AS HEREIN PROVIDED, SURVIVAIR SHALL HAVE NO LIABILITY FOR ANY LOSS OR DAMAGE, WHETHER DIRECT, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL, TO ANY PURCHASER OR USER OF THIS PRODUCT ARISING FROM THE SALE, USE, OR OPERATION OF THIS PRODUCT.**

WARNING: The failure to use and maintain this equipment in strict conformance with the applicable instruction manual may result in serious personal injury, and its use in any manner that is not expressly authorized pursuant to the applicable instruction manual may result in severe adverse impacts to human health.