

RELEASE NOTES

Product Name: Honeywell Safety Suite Device Configurator (SSDC)

Version: 3.5.0

Operating System: Windows 11, Windows 10 (x64) version 1809 or above

Intel® Wireless Bluetooth® Driver: 21.60.0 or above

Microsoft® .NET Framework: 4.7.2 or above

Release Date: Mar. 2022

WHAT'S NEW

This release supports the following features:

1. Delete RAE Instrument Data

Users can now delete RAE instrument data from the software.

2. RAE Instrument Session Summary

The software now allows users to view Session Summary for Data Logs for RAE instruments.

3. Save AutoRAE 2 Controller Configuration

AutoRAE 2 Controller configuration can now be saved to and retrieved from a file.

INSTALLATION AND UPDATE NOTES

Before Installation:

Close all other programs.

Installation:

1. Download the software from the Honeywell Safety Suite [website](#).
2. Launch the installer by double-clicking the installation file.
3. Follow the instructions for installation. The initial installation can take between 15 and 20 minutes.
4. Once the software is successfully installed, an "Installed Successfully" message is displayed. Click the "FINISH" button to exit the installation program or click the "LAUNCH APPLICATION" button to exit the installation program and launch Honeywell Safety Suite Device Configurator.

SUPPORTED INSTRUMENTS AND FIRMWARE

BW PRODUCTS

NO.	INSTRUMENT	FIRMWARE VERSION
1	IntelliDoX	12.2.0
2	MicroDock II	N/A
3	BW Clip & BW Clip Real Time	2.101
4	BW Clip4	1.349
5	BW Flex & BW Flex4	1.042
6	BW Icon & BW Icon +	1.060
7	BW Max XT II	13.000
8	BW MicroClip XL & BW MicroClip X3	50D
9	BW Quattro	4.000
10	BW Solo	1.140
11	BW Ultra	1.022
12	GasAlertMicro 5	N/A
13	GasAlert Extreme	N/A

Note: Correction factor cannot be set for NDIR sensors in BW Flex devices connected through IntelliDoX or IR cable with firmware version below 1.042.

RAE SYSTEM PRODUCTS

NO.	INSTRUMENT	FIRMWARE VERSION
1	AutoRAE 2 Controller	1.40
2	AutoRAE Cradle for Handheld PID Monitor	1.38
3	AutoRAE 2 Cradle for MicroRAE	1.38
4	AutoRAE 2 Cradle for MultiRAE	1.38
5	AutoRAE 2 Cradle for QRAE 3	1.38
6	AutoRAE 2 Cradle for ToxiRAE Pro	1.38
7	AreaRAE Plus & AreaRAE Pro	1.12
8	MicroRAE	1.16
9	MiniRAE 3000 + & MiniRAE Lite +	2.22A
10	MultiRAE, MultiRAE Benzene, MultiRAE Lite, & MultiRAE Pro	1.56
11	ppbRAE 3000 +	2.22A
12	QRAE 3	2.18
13	ToxiRAE Pro, ToxiRAE Pro CO2, ToxiRAE Pro LEL, ToxiRAE Pro PID	1.84C
14	UltraRAE 3000 +	2.22A

PREVIOUS VERSIONS

Honeywell Safety Suite Device Configurator v3.4.1

What's New

- 1. Latest Firmware Support**
This release adds support for latest firmware for IntelliDoX, BW Flex, BW Icon and AreaRAE.
- 2. Database 10 GB storage limitation removed**
The limitation on the data storage capacity of the software has been removed.
- 3. Simplified Installation**
Software installation has been simplified for a better user experience.

Honeywell Safety Suite Device Configurator v3.3.0

What's New

- 1. Latest Firmware Support**
This release adds support for latest firmware for IntelliDoX, BW Flex and BW Solo.
- 2. AutoRAE 2 Inlet Configuration Update**
The gas inlet configuration screen now shows the appropriate unit of measure based on the selected gas.
- 3. Sensor Settings Update**
You can now set sensor threshold values below 1 for RAE devices.

Honeywell Safety Suite Device Configurator v3.2.1

What's New

- 1. BW Flex Support**
This release adds support for BW Flex over IR, BLE and IntelliDoX.
- 2. Firmware Management Enhancements**
Device list now shows the firmware version of the connected device and allows the user to update the firmware from the list view.
- 3. Silent Uninstall**
You can now uninstall the software using Windows® command prompt.

Honeywell Safety Suite Device Configurator v3.1.0

What's New

- 1. Instrument File Templates**
You can now save configurations for connected instruments as file templates to apply to other instruments.
- 2. Data Export in CSV Format**
Data such as event logs, data logs and test logs can now be exported in csv format.
- 3. Dock IP Search**
You can now search for dock IP address on the devices list screen.

Honeywell Safety Suite Device Configurator v3.0.0

What's New

- 1. BW Icon+ Support**
This release adds support for BW Icon+ over IR, BLE and IntelliDoX.
- 2. One-Click Software Update**
The software now allows users to download and install the latest version of software through software update notifications.
- 3. Flexible Firmware Management**
Users can now upgrade/ downgrade the firmware using the local file regardless of the network connectivity status of the computer.

Find out more

For more information visit:

<https://sps.honeywell.com/us/en/software/safety/connected-safety/safety-suite>

Americas

detectgas@honeywell.com

Asia Pacific

analytics.ap@honeywell.com

Europe, Middle East, Africa

gasdetection@honeywell.com

Software Support

Americas:

support.safetysuite@honeywell.com

1-833-556-3515

Europe, Middle East, Africa:

gastechsupportemea@honeywell.com

0080081819691

Microsoft and Windows are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. All other trademarks are the property of their respective owners.

Note: Due to ongoing research and product improvement, specifications are subject to change without notice.

Safety Suite Device Configurator Release Notes | Rev A | 03/22
© 2022 Honeywell International Inc.

The Honeywell logo, consisting of the word "Honeywell" in a bold, red, sans-serif font.