





HONEYWELL PPE TOP SELLERS+



Browse our Interactive Catalog with quick links to Honeywell's best sellers on Fastenal.com. Convenience is just a click away!



Honeywell

FASTENAL



ARC FLASH PPE



TABLE 1. ARC FLASH PPE

Honeywell #	Fastenal #	Description	ECOM	Info
Arc Flash Storage Bags				
SK BAGR	925353660	Red Arc Flash bag to hold clothing and face shields	F	i
AS BAG	1043238	Bag to hold face shields	F	i
PrismShield™ Face Shields and Kits				
AS1000-SPL	922981711	10 cal/cm² PrismShield™ weight balancing face shield	F	i
AS1000HAT-SPL	923229796	10 cal/cm² PrismShield™ weight balancing face shield with hat	F	i
PrismShield™ Plus Arc Flash Head & Face Protection				
AS1200-PP	925353623	12 cal/cm² PrismShield™ Plus weight balancing face shield	F	i
FH40RG-PP	925353600	40 cal/cm² PrismShield™ Plus Pro-Hood/Beekeeper style	F	i
AS1200HAT-PP	924321158	12 cal/cm² PrismShield™ Plus weight-balancing face shield with hat	F	i
LFH40PRG-PP	925353604	40 cal/cm² PrismShield™ Plus premium lift front hood	F	i
PrismShield™ Plus Replacement Parts				
LFH40FSA-PP	925353426	40 cal/cm² PrismShield™ Plus lift front face shield replacement lens for LFH40RG-PP and LFH40PRG-PP	F	i
SHRD-40PRG-PP	925353462	Arc flash 40 cal shroud Prismshield™ Plus premium replacement shroud for LFH40PRG-PP	F	i
Pro-Wear® Plus Arc Flash 40 Cal/cm² Garments				
ACB40PRGXL	925353551	Pro-Wear® Plus 40 cal/cm² premium bib overalls, size extra large	F	i
ACC40PRGXL	925353495	Pro-Wear® Plus 40 cal/cm² premium coat, size extra large	F	i
ACB40RGXL	925353559	Pro-Wear® Plus 40 cal/cm² bib overalls, size extra large	F	i
ACC40RGXL	925353500	Pro-Wear® Plus 40 cal/cm² coat, size extra large	F	i
ACB40RGL	925353556	Pro-Wear® Plus 40 cal/cm² bib overalls, size large	F	i
ACC40RGL	925353500	Pro-Wear® Plus 40 cal/cm² coat, size large	F	i



DIELECTRIC BOOTS



TABLE 2. ARC FLASH PPE

Honeywell #	Fastenal #	Description	ECOM	Info
Overshoes				
51511 12-ES	91014392	Bob sole - non buckle overshoe	F	i
51512 12-ES	91014411	Bob sole - two buckle overshoe	F	i
51509 12-ES	91014359	Two buckle overshoe	F	i





GROUNDING EQUIPMENT



TABLE 3. GROUNDING EQUIPMENT

Honeywell #	Fastenal #	Description	ECOM	Info
"C" Clamps				
1895-ES	925399823	1.5 in (38 mm) aluminum, eye with strain relief sleeve, serrated jaw with flat lower jaw	F	i
21942-ES	925399825	2 in (51 mm) aluminum, eye without strain relief sleeve, serrated jaw	F	i
Grounding Cables				
2138-ES	925399840	2/0-1330W, 0.49 in (11,4 mm) strand, 0.65 in (16,5 mm) jacket, continuous current AMPS, RMS, 60 Hz: 300	F	i
2139-ES	925399839	4/0-2109W, 0.62 in (15,7 mm) strand, 0.83 in (21,1 mm) jacket, continuous current AMPS, RMS, 60 Hz: 400	F	i
Grounding Ferrules				
2023-ES	925399831	Unshrouded, 1/0 copper threaded, ASTM grade 2	F	i
2024-ES	925399829	Unshrouded, 2/0 tin plated, copper threaded, ASTM grade 3	F	i
2025-ES	925399830	Unshrouded, 4/0 tin plated, copper threaded, ASTM grade 5	F	i
Grounding Kits				
24307-ES	99559079	Four-way grounding set: socket clamp with 2/0 cable, (3) 6 ft (1,82 m) grounders, (1) 10 ft (3,05 m) input/output cable	F	i
24308-ES	925399821	Four-way grounding set: 1.5 in aluminum "C" clamps with flat lower jaws connected yellow ground cable, 10 ft (3,05 m) cable with (4) 6 ft (1,82 m) cables to each jumper	F	i
2680-ES	925399822	Four-way connector ground set - grade 2, 21 kA 15 cycles, 1 #2374 Four-way connector with sleeves, 4 #1895 1.5 in (38,1 mm), serrated jaw clamps with sleeves, 1 #2427 double hanger stud, 1 #2402 contact stud, 34 ft. (10,36 m) #2137 1/0 cu. cable, 4 pr. #2027 ferrules	F	i
Socket Clamps				
21190-ES	925399824	1 in (25,4 mm) ball stud bronze socket clamp Acme thread with strain relief	F	i





HOT STICKS & TOOLS



TABLE 4. HOT STICKS & TOOLS

Honeywell #	Fastenal #	Description	ECOM	Info
Insulated Rescue Stick				
24401-ES	1045470	6 ft (1,8 m) insulated rescue and static discharge stick		
Insulated Rescue Hook				
24403-ES	1045471	8 ft (2,4 m) insulated rescue hook		





INSULATING BLANKETS



TABLE 5. INSULATING BLANKETS

Honeywell #	Fastenal #	Description	ECOM	Info
Roll Blankets				
RLB0	1045468	Class 0, Type II, 3 ft × 30 ft (0,9 m × 9,1 m) yellow	F	i
RLB1	1045469	Class 1, Type II, 3 ft × 30 ft (0,9 m × 9,1 m) yellow/orange	F	i
Rubber Blankets				
300E-ES	99568839	Class 2, Type I, 3 ft × 30 ft (0,9 m × 9,1 m), black with eyelets	F	i
900E-ES	925399834	Class 4, Type II, 3 ft × 30 ft (0,9 m × 9,1 m), orange with eyelets	F	i
1300E-ES	99301658	Class 4, Type II, 3 ft × 30 ft (0,9 m × 9,1 m), orange slotted style with eyelets	F	i
13-ES	925399835	Class 4, Type II, 22 in × 22 in (0,56 m × 0,56 m), orange	F	i
15-ES	925399833	Class 4, Type II, 22 in × 22 in (0,56 m × 0,56 m), orange slotted style	F	i





LINE HOSES & TAGGING DEVICES



TABLE 6. LINE HOSES & TAGGING DEVICES

Honeywell #	Fastenal #	Description	ECOM	Info
Conventional Style Line Hoses				
OR125-45C-ES	925399838	SALCOR® connector end line hose, Class 2 type II, 54 in × 1.25 in (1,37 m × 0,03 m)	F	i
OR125-6C-ES	925399837	SALCOR® connector end line hose, Class 2 Type II, 72 in × 1.25 in (1,82 m × 0,03 m)	F	i
OR150-6C-ES	925399836	SALCOR® connector end line hose, Class 3 Type II, 72 in × 1.5 in (1,82 m × 0,04 m)	F	i
OR150-45C-ES	99876135	SALCOR® connector end line hose, Class 3 Type II, 54 in × 1.5 in (1,37 m × 0,04 m)	F	i
Tagging Device				
TD-ES	99876137	7.25 in (184 mm) long slot: 2.13 in × .63 in (54 mm × 16 mm) cup: 2.5 in × 1.75 in (64 mm × 44 mm)	F	i





RUBBER SLEEVES



TABLE 7. RUBBER SLEEVES

Honeywell #	Fastenal #	Description	ECOM	Info
Molded Sleeves				
2RY	925399819	Class 2, Type 1, yellow synthetic rubber	F	i
3RY	925399820	Class 3, Type 1, yellow synthetic rubber	F	i
300E-ES	99568839	Class 2, Type 1, yellow synthetic rubber	F	i





VOLTAGE DETECTORS




TABLE 8. VOLTAGE DETECTORS

Honeywell #	Fastenal #	Description	ECOM	Info
Audio/Visual Voltage Detector Kit				
4356-ES	91003340	240 V to 230 kV Includes: 4244 volt detector 21517 case 2500 shotgun adapter Three C batteries		
Self-Testing Voltage Detection Kit				
4556-ES	920083826	230 kV Includes: 4544 voltage detector 21517 case 2500 shotgun adapter Three C batteries		





ANCHORAGE CONNECTORS



TABLE 9. ANCHORAGE CONNECTORS

Honeywell #	Fastenal #	Description	ECOM	Info
Adjustable Anchorage Connectors				
8816-14	1024552	Lightweight, sliding ShadowLite Beam Anchor High-strength aluminum and bronze 4.2 lbs. (2 kg)	F	i
Permanent Anchorage Connector				
416	1027702	D-Bolt Anchor	F	i
Temporary Anchorage Connector				
475	91208667	Extension pole and hook anchor	F	i
Cross-Arm Anchorage Connectors				
8183/6FTGN	1000915	6 ft (1,8 m) cross arm strap with (2) D-rings	F	i
Miller Temporary Roof Anchors				
17D-1	1002577	Steel double-lock carabiner, 25 mm (1 in) gate opening	F	i





HARNESSES



TABLE 10. HARNESSES

Honeywell #	Fastenal #	Description	ECOM	Info
Honeywell Miller H100 Series				
H11110022	921829791	Mating-buckle legs and chest, steel back D-rings, size: universal, weight capacity: 420 lb (190.5 kg)		
Miller AirCore™ Aluminum Harness				
ACA-QC/S/MGN	1051554	Quick-connect chest and leg strap, size: S/M, color: green weight capacity: 400 lb (181.4 kg)		
ACA-QC/UGN	1048252	Quick-connect chest and leg strap, size: universal, color: green, weight capacity: 400 lb (181.4 kg)		
ACA-QC-BDP/UGN	1048264	Quick-connect chest and leg strap, side D-rings, lumbar pad and removable belt, size: universal, color: green, weight capacity: 400 lb (181.4 kg)		
Miller AirCore™ Steel Harness				
AC-QC/UGN	1051509	Quick-connect chest and leg strap back D-ring, size: universal, color: green, weight capacity: 400 lb (181.4 kg)		
AC-QC-BDP/UGN	1051533	Quick-connect chest and leg strap, back and side D-rings, lumbar pad and removable belt, size: universal, color: green, weight capacity: 400 lb (181.4 kg)		



HARNESSES



TABLE 10. HARNESSES CONTINUED

Honeywell #	Fastenal #	Description	ECOM	Info
Honeywell Miller H500 Series				
H5ISP311001	922393989	Chest mating buckle, tongue leg strap, size: S/M, color: green, weight capacity: 420 lb (181.4 kg)	F	
H5ISP311002	922393991	Chest mating buckle, tongue leg strap, size: universal, color: green, weight capacity: 420 lb (181.4 kg)	F	
H5ISP311003	922394039	Chest mating buckle, tongue leg strap, size: XXL, color: green, weight capacity: 420 lb (181.4 kg)	F	
H5IC221001	922394019	Quick-connect chest and leg strap, size: S/M, color: green, weight capacity: 420 lb (181.4 kg)	F	
H5IC221002	922394068	Quick-connect chest and leg strap, size: universal, color: green, weight capacity: 420 lb (181.4 kg)	F	
H5IC221003	922394017	Quick-connect chest and leg strap, size: XXL, color: green, weight capacity: 420 lb (181.4 kg)	F	
Honeywell Miller H500 Series with Steel D-ring				
H5CC311121	922394054	Steel front D-ring, side D-rings, chest mating buckle, tongue leg strap, lumbar pad and waist belt, size: S/M, color: green, weight capacity: 420 lb (181.4 kg)	F	
H5CC311122	922394011	Steel front D-ring, side D-rings, chest mating buckle, tongue leg strap, lumbar pad and waist belt, size: universal, color: green, weight capacity: 420 lb (181.4 kg)	F	
H5CC311123	922394033	Steel front D-ring, side D-rings, chest mating buckle, tongue leg strap, lumbar pad and waist belt, size: X/L, color: green, weight capacity: 420 lb (181.4 kg)	F	





HARNESSES



TABLE 10. HARNESSES CONTINUED

Honeywell #	Fastenal #	Description	ECOM	Info
Honeywell Miller H500 Series with Aluminum D-ring				
H5CC222221	922394050	Aluminum front D-ring, side D-rings, quick-connect chest and leg strap, lumbar pad and waist belt, size: S/M, color: green, weight capacity: 420 lb (181.4 kg)		
H5CC222222	922394049	Aluminum front D-ring, side D-rings, quick-connect chest and leg strap, lumbar pad and waist belt, size: universal, color: green, weight capacity: 420 lb (181.4 kg)		
H5CC222223	922394080	Aluminum front D-ring, side D-rings, quick-connect chest and leg strap, lumbar pad and waist belt, size: X/L, color: green, weight capacity: 420 lb (181.4 kg)		
Honeywell Miller Arc-Rated				
RKNAR-QC/S/MBK	1032293	Arc-rated, quick-connect chest and leg strap, leather insulators, size: S/M, color: black/red, weight capacity: 400 lb (181.4 kg)		
RKNAR-QC/UBK	1027816	Arc-rated, quick-connect chest and leg strap, leather insulators, size: universal color: black/red, weight capacity: 400 lb (181.4 kg)		
RKNAR-QC/3XLBK	1032294	Arc-rated, quick-connect chest and leg strap, leather insulators, size: 2/3X, color: black/red, weight capacity: 400 lb (181.4 kg)		





SELF-RETRACTING LIFELINES & PERSONAL FALL LIMITERS



TABLE 11. SELF-RETRACTING LIFELINES & PERSONAL FALL LIMITERS

Honeywell #	Fastenal #	Description	ECOM	Info
Miller Turbolite™+				
MTL-OHW1-01/6FT	924720449	6 ft (1,8 m) steel carabiner, steel locking snap hook, weight: 4.5 lb (2 kg) ANSI max working capacity: 310 lb (141 kg), max working capacity: 420 lb (190.5 kg)	F	i
MTL-OHW1-02/6FT	924720460	6 ft (1,8 m) steel carabiner, steel locking rebar hook, weight: 3.4 lb (1.5 kg) ANSI max working capacity: 310 lb (141 kg), max working capacity: 420 lb (190.5 kg)	F	i
MTL-OHS1-01/9FT	924720479	6 ft (1,8 m) aluminum carabiner, aluminum locking rebar hook, weight: 3.2 lb (1.4 kg) ANSI max working capacity: 310 lb (141 kg), max working capacity: 420 lb (190.5 kg)	F	i
MTL-OHW2-22/6FT	924720415	6 ft (1,8 m) steel carabiner with G2 twin connector, steel locking rebar hooks, weight: 5.8 lb (2.6 kg) ANSI max working capacity: 310 lb (141 kg), max working capacity: 420 lb (190.5 kg)	F	i



GLOVES



TABLE 12. GLOVES

Honeywell #	Fastenal #	Description	ECOM	Info
Nitri-Knit™ Chemical Resistant Gloves				
NK803/9	1029183	Nitrile gloves with cotton polyester lining, 40 mil thick, 12 in (304,8 mm) length, rough finish, size 9	F	i
NK803/10	1029179	Nitrile gloves with cotton polyester lining, 40 mil thick, 12 in (304,8 mm) length, rough finish, size 10	F	i
NK803/11	1029180	Nitrile gloves with cotton polyester lining, 40 mil thick, 12 in (304,8 mm) length, rough finish, size 11	F	i
NK803ES/7	1029186	Nitrile gloves with cotton polyester lining, 40 mil thick, 26 in (660 mm) extended sleeve, smooth finish, size 7	F	i
NK803ES/8	1029187	Nitrile gloves with cotton polyester lining, 40 mil thick, 26 in (660 mm) extended sleeve, smooth finish, size 8	F	i
NK803ES/9	1029188	Nitrile gloves with cotton polyester lining, 40 mil thick, 26 in (660 mm) extended sleeve, size 9	F	i
NK803ES/10	1029184	Nitrile gloves with cotton polyester lining, 40 mil thick, 26 in (660 mm) extended sleeve, smooth finish, size 10	F	i
NK803ES/11	1029185	Nitrile gloves with cotton polyester lining, 40 mil thick, 26 in (660 mm) extended sleeve, smooth finish, size 11	F	i
North Butyl™ Chemical Resistant Gloves				
B131/10	1021606	Sanitized interior, 13 mil thick, 11 in (279 mm) length, rolled bead cuff, smooth finish, size 10	F	i
B131R/10	1095504	Sanitized interior, 13 mil thick, 11 in (279 mm) length, rolled bead cuff, rough finish, size 10	F	i






GLOVES



TABLE 12. GLOVES CONTINUED

Honeywell #	Fastenal #	Description	ECOM	Info
North SilverShield® Chemical Resistant Gloves				
SSG/6	1024617	Ambidextrous glove, unlined, straight cuff, smooth finish, 2.7 mil thick, 14.5 in (268 mm) length, size 6	F	i
SSG/8	1024619	Ambidextrous glove, unlined, straight cuff, smooth finish, 2.7 mil thick, 14.5 in (268 mm) length, size 8	F	i
SSG/9	1024620	Ambidextrous glove, unlined, straight cuff, smooth finish, 2.7 mil thick, 14.5 in (268 mm) length, size 9	F	i
SSG/10	1024621	Ambidextrous glove, unlined, straight cuff, smooth finish, 2.7 mil thick, 14.5 in (268 mm) length, size 10	F	i
SSG/11	1024622	Ambidextrous glove, unlined, straight cuff, smooth finish, 2.7 mil thick, 14.5 in (268 mm) length, size 11	F	i
North Grip N® Hot Mill General Purpose Gloves				
51/7147	1021594	Ambidextrous cotton-lined glove, nitrile double-sided coating, size large	F	i
NorthFlex Red™ General Purpose Gloves				
NF11/6XS	1029141	Nylon lining, sandy palm foamed PVC coating, 15 gauge, 10 in (254 mm) length, size extra small	F	i
NF11/7S	1029142	Nylon lining, sandy palm foamed PVC coating, 15 gauge, 10 in (254 mm) length, size small	F	i
NF11/8M	1029143	Nylon lining, sandy palm foamed PVC coating, 15 gauge, 10 in (254 mm) length, size medium	F	i
NF11/9L	1003654	Nylon lining, sandy palm foamed PVC coating, 15 gauge, 10 in (254 mm) length, size large	F	i
NF11/10XL	1003655	Nylon lining, palm foamed PVC coating, 15 gauge, 10 in (254 mm) length, size extra large	F	i






EARPLUGS



TABLE 13. DISPOSABLE EARPLUGS

Honeywell #	Fastenal #	Description	ECOM	Info
Howard Leight Laser Lite® Disposable Earplugs				
LL-1	0281820	Contoured T-shape polyurethane foam, uncorded, NRR 32 dB, magenta/yellow, one size, 200 pr	F	i
LL-1-D	1001748	Bulk refill for Leight® Source 500, contoured T-shape polyurethane foam, uncorded, NRR 32 dB, magenta/yellow, one size, 500 pr	F	i
LL-30	0281821	Contoured T-shape polyurethane foam, yellow PVC corded, NRR 32 dB, magenta/yellow, one size, 100 pr	F	i
Howard Leight MAXIMUM LITE Disposable Earplugs				
LPF-1	0281817	Contoured T-shape, polyurethane foam, uncorded, NRR 30 dB, green, one size, 200 pr	F	i
LPF-1-D	1000447	Bulk refill for Leight® Source 500, contoured T-shape, polyurethane foam, uncorded, NRR 30 dB, green, one size, 500 pr	F	i
LPF-30	0281818	Contoured T-shape, polyurethane foam, yellow polycord, NRR 30 dB, green, one size, 100 pr	F	i
Howard Leight MAXIMUM Disposable Earplugs				
MAX-1	0281815	Contoured bell-shape, polyurethane foam, NRR 33 dB, orange, one size 200 pr	F	i
MAX-1-D	1000448	Bulk refill for Leight® Source 500, contoured bell-shape, polyurethane foam, NRR 33 dB, orange, one size, 500 pr	F	i
MAX-30	0281816	Contoured bell-shape, polyurethane foam, blue PVC corded, NRR 30 dB, green, one size, 100 pr	F	i
Howard Leight Laser Trak® Detectable Disposable Earplugs				
LT-30	0281813	Contoured T-shape, polyurethane foam, brass corded, NRR 33 dB, blue/orange, one size, 100 pr	F	i



EARPLUGS




TABLE 14. REUSABLE EARPLUGS

Honeywell #	Fastenal #	Description	ECOM	Info
Howard Leight AirSoft® Reusable Earplugs				
DPAS-30R	0281826	Blue flanged earplug, red polycord, NRR 27 dB, one size, 100 pr		
DPAS-30W	1011952	Blue flanged, TPE, white nylon corded, NRR 27 dB, one size, 100 pr		
Howard Leight Quiet® Reusable Earplugs				
QD30	0281824	Orange contoured bell-shape, vinyl corded, NRR 26 dB, orange, size medium, 100 pr		





FACE SHIELDS



TABLE 15. FACE SHIELDS

Honeywell #	Fastenal #	Description	ECOM	Info
Uvex Bionic® Face Shield				
S8510	1007941	Clear, hard coat/anti-fog polycarbonate face shield	F	i
S8560	1007944	Green shade 3.0, polycarbonate replacement visor, uncoated	F	i
S8565	1007945	Green shade 5.0, polycarbonate replacement visor, uncoated	F	i





HEADGEAR



TABLE 16. HEADGEAR

Honeywell #	Fastenal #	Description	ECOM	Info
Honeywell Fibre-Metal® Headgear				
F5400	1012890	Gray, 4 in (107 mm) crown, Speedy™ mounting loops system		
F5500	1033360	Gray, 7 in (178 mm) crown, made with heat resistant Noryl®, Dielectric protection		
Honeywell North® Headgear				
F500-H5	1033357	Gray, 7 in (178 mm) crown, channel grip system, heat resistant, ratchet suspension, slot/pin mechanism with locking cams		





HARD HATS



TABLE 17. HARD HATS

Honeywell #	Fastenal #	Description	ECOM	Info
Fibre-Metal® Roughneck P2 Series Ratchet Style				
P2AQRW71A000	1045155	Front brim, Quick-Lok™, ANSI Type 1, Class G, blue, 8-point suspension side-slot accessory mounting options	F	i
P2AQRW09A000	1045150	Front brim, Quick-Lok™, ANSI Type 1, Class G, gray, 8-point suspension, side-slot accessory mounting options	F	i
P2HNQRW71A000	1024965	Front brim, high heat, Quick-Lok™, ANSI Type 1, Class G, yellow, 8-point suspension, side-slot accessory mounting options	F	i
P2AQRW01A000	1045148	Front brim, Quick-Lok™, ANSI Type 1, Class G, white, 8-point suspension welding accessory mounting options	F	i
P2AQRW11A000	1045151	Front brim, Quick-Lok™, ANSI Type 1, Class G, white, 8-point suspension welding accessory mounting options	F	i
Fibre-Metal® E-2 Series Ratchet Style				
E2RW01A000	1007051	Thermoplastic, front brim, ANSI Type 1, Class E, white, 8-point suspension	F	i
E2RW71A000	1024885	Thermoplastic, front brim, ANSI Type 1, Class E, blue, 8-point suspension	F	i
Fibre-Metal® E-1 Series Ratchet Style				
E1RW01A000	1007056	Thermoplastic, full brim, ANSI Type 1, Class E, white, 8-point suspension	F	i
North® The Everest® A119R Series Ratchet Style				
A119R010000	91206231	Polyethylene, full brim, ANSI Type 2, Class E, white, 6-point suspension	F	i
North® The Matterhorn A89				
A89R010000	1095293	Polyethylene, front brim, ANSI Type 2, Class E, white, 4-point suspension, side-slot accessory mounting options	F	i



HARD HATS



TABLE 17. HARD HATS CONTINUED

Honeywell #	Fastenal #	Description	ECOM	Info
North® Bump Caps				
SC01-H5	1029200	Insert that turns any baseball cap into a piece of protective headgear	F	i
BC86010000	1024554	Polyethylene, front brim, pinlock suspension, white, fits 6.5 in to 8 in (165 mm to 203 mm)	F	i

TABLE 18. HARD HAT PARTS & ACCESSORIES

Honeywell #	Fastenal #	Description	ECOM	Info
Sweatbands				
FM68	0801010	Fibre-Metal®, cotton, gray, used with welding helmets	F	i
FM69	0868457	Fibre-Metal®, cotton, gray, used with hard hats and full brim hard hats	F	i
SB470	1095243	North®, terry cloth with velcro closure, washable, used with A49 And A49R Series hard hats	F	i
Fibre-Metal® Quick Switch Adaptor				
4000-H5	0854470	Quick-Lok™ kit, gray, for use with welding helmets	F	i
5000-H5	1012891	Headband, speedy loop suspension, gray, for use with welding helmets	F	i
Fibre-Metal® Suspension Replacements				
3RW2	1095233	8-point ratchet suspension replacement	F	i





HELMETS & HOODS



TABLE 19. HELMETS & HOODS

Honeywell #	Fastenal #	Description	ECOM	Info
Fibre-Metal® Pipeliner™ Helmets				
110PWE	0801001	110P white fiberglass, fixed front welding helmet, 2 in x 4.25 in (51 mm to 108 mm) shade 10 lens, rubber headband suspension		
110WH	0854505	110 white fiberglass, fixed front welding helmet, 2 in x 4.25 in (51 mm x 108 mm) shade 10 lens, ratchet suspension		
1CR	0868449	Ratchet replacement suspension		
Fibre-Metal® Pipeliner™ Replacement Parts				
3C	0801008	Ratchet suspension replacement		
Fibre-Metal® Tigerhood® Helmets				
5906GY	0851816	Classic 906 gray Noryl® thermoplastic, lift front welding helmet, 2 in x 4.25 in (51 mm to 108 mm) shade 10 lens, pinlock suspension		
4906GY	1025326	Classic 906 gray Noryl® thermoplastic, lift front welding helmet, 2 in x 4.25 in (51 mm to 108 mm) shade 10 lens, Quick-Lok™ mounting cups		
906GY	0800225	Classic 906 gray Noryl® thermoplastic, lift front welding helmet, 2 in x 4.25 in (51 mm to 108 mm) shade 10 lens, ratchet suspension		
5906GYBP	0868468	Classic 906 gray Noryl® thermoplastic, lift front welding helmet, 2 in x 4.25 in (51 mm to 108 mm) shade 10 lens, speedy loop hard hat mount		






REPLACEMENT WINDOWS



TABLE 20. REPLACEMENT WINDOWS

Honeywell #	Fastenal #	Description	ECOM	Info
Honeywell Fibre-Metal® Window				
4178CL	1007059	Clear, uncoated, polycarbonate, 8 in (203 mm)	F	i
4178DGN	0854450	Green, uncoated, polycarbonate, 8 in (203 mm)	F	i
4178CLBP	1033352	Clear, uncoated, polycarbonate, 8 in (203 mm), bulk pack	F	i
4178IRUV5	0801027	Green shade 5, uncoated, IR/UV protection, polycarbonate, 8 in (203 mm)	F	i
4199CL	1025321	Clear, uncoated, polycarbonate, 9.75 in (248 mm)	F	i
4199DGN	0854454	Green shade 5, uncoated, polycarbonate, 9.75 in (248 mm)	F	i
4199CLBP	1033353	Clear, uncoated, polycarbonate, 9.75 in (248 mm), bulk pack	F	i
4199IRUV3	0854457	Green shade 3, uncoated, IR/UV protection, polycarbonate, 9.75 in (248 mm)	F	i
4199IRUV3BP	0854458	Green shade 3, uncoated, IR/UV protection, polycarbonate, 9.75 in (248 mm), bulk pack	F	i
4199IRUV5	0854459	Green shade 5, uncoated, IR/UV protection, polycarbonate, 9.75 in (248 mm)	F	i
Fibre-Metal® Dual Crown Face Shield Window				
6750CL	1033384	Clear, polycarbonate, 8 in (203 mm) replacement visor, uncoated	F	i





SAFETY GLASSES



TABLE 21. SAFETY GLASSES

Honeywell #	Fastenal #	Description	ECOM	Info
Uvex® A700 Series				
A700	1017345	Clear frame, clear lens tint, anti-scratch hard-coat	F	
A701	1017346	Gray lens tint, anti-scratch hard-coat	F	
A704	1017349	Gray frame, indoor/outdoor lens tint, anti-scratch hard-coat	F	
A705	1017350	Clear frame, clear lens tint, anti-fog coating	F	
Uvex® A800 Series				
A800	1017351	Clear with clear anti-scratch/hard-coat lens	F	
Uvex Astrospec® OTG® 3001				
S2500	0200080	Gunmetal frame with clear anti-fog/anti-scratch/hard-coat lens	F	
S2500C	1098274	Black frame with clear anti-fog lens	F	
S2530C	0201067	Red/white/blue frame with clear anti-fog lens	F	
Uvex Hypershock®				
S2941HS	1344845	Matte black frame, gray lens with HydroShield® anti-fog coating	F	
S2949	1067722	Matte black frame with espresso anti-scratch/hard-coat lens	F	
S2970HS	1344850	Clear frame, clear lens with HydroShield® anti-fog coating	F	
S2940HS	1344844	Black frame, clear lens with HydroShield® anti-fog coating	F	
Uvex Tirade™				
S4040	1067742	Black temple/strap, clear lens with Uvextra® fog-resistant	F	
Uvex Ultra-spec® 2000				
S0250X	0201039	Clear frame with clear Uvextreme® anti-fog lens	F	



SAFETY GLASSES



TABLE 21. SAFETY GLASSES CONTINUED

Honeywell #	Fastenal #	Description	ECOM	Info
Uvex Genesis®				
S3200HS	1309120	Black frame, clear lens with HydroShield® anti-fog coating	F	i
S3240HS	1306880	Vapor frame, clear lens with HydroShield® anti-fog coating	F	i
Uvex® Protégé				
S4200HS	1309124	Metallic black frame, clear HydroShield® anti-fog/anti-scratch lens	F	i
S4200-H5	1017323	Gloss black frame, clear anti-scratch/hard-coat lens	F	i
Uvex Seismic®				
S0600HS	1327426	Black frame, clear lenses with, HydroShield® anti-fog coating	F	i
Uvex Livewire®				
S2600HS	1037451	Black frame with clear HydroShield® anti-fog lens	F	i
S470	921070034	Uvex Clear Plus Towelettes 100Ct	F	i
S479	921070029	Uvex Fog Eliminator Plus Cloths 100Ct	F	i





SAFETY GOGGLES



TABLE 22. SAFETY GOGGLES

Honeywell #	Fastenal #	Description	ECOM	Info
Uvex® Stealth®				
S3960HS	1309126	Gray frame, clear lens with HydroShield® anti-fog coating, neoprene headband		
S3961HS	1309127	Gray frame, gray lens with HydroShield® anti-fog coating, neoprene headband		





AIR PURIFYING RESPIRATOR



TABLE 23. AIR PURIFYING RESPIRATOR

Honeywell #	Fastenal #	Description	ECOM	Info
5400 Series Full Facepiece				
54001S	1024589	Elastomeric with four strap headband, dual cartridge connectors for N series, size small	F	i
54001	1021574	Elastomeric with four strap headband, dual cartridge connectors for N series, size medium/large	F	i
54001W	1095478	Elastomeric with four strap headband, dual cartridge connectors for N series, welding attachment, size medium/large	F	i
5500 Series Half Mask				
550030M	1021575	Elastomeric with dual cartridge connectors for N series, size medium	F	i
550030L	1021576	Elastomeric with dual cartridge connectors for N series, size large	F	i
7600 Series Full Facepiece				
760008A	1021579	Medical-grade silicone with five-strap headband, dual cartridge connectors for N series, size medium/large	F	i
760008AS	1024590	Medical-grade silicone with five strap headband, dual cartridge connectors for N series, size small	F	i
760008AW	1021580	Medical-grade silicone with five-strap headband, dual cartridge connectors for N series, welding attachment, size medium/large	F	i
7700 Series Half Mask				
770030S	1023306	Silicone with dual cartridge connectors for N series. Size small	F	i
770030M	1024584	Silicone with dual cartridge connectors for N series. Size medium	F	i
770030L	1021581	Silicone with dual cartridge connectors for N series. Size large	F	i
RU6500 Full Facepiece				
RU65001M	99877304	Silicone with five-point head harness, size medium	F	i
RU65001L	99877305	Silicone with five-point head harness, size large	F	i

TABLE 25. ACCESSORIES & REPLACEMENT PARTS

Honeywell #	Fastenal #	Description	ECOM	Info
Honeywell North®				
80836A	1021585	Clear, peel-away lens covers for full face respirators	F	i



AIR PURIFYING RESPIRATOR



TABLE 26. N SERIES CARTRIDGES & FILTERS

Honeywell #	Fastenal #	Description	ECOM	Info
Honeywell North®				
7506N95	1021561	N95 white pad filters, 10/pk	F	i
7580P100	1021562	P100 filters, 2/pk	F	i
75SCP100L	1021556	Multi-contaminant P100 respirator cartridge	F	i
7581P100L	1021554	Organic Vapor (OV) respirator cartridge with P100 filter	F	i
7583P100L	1046407	Organic Vapor and Acid Gas (OV/AG) respirator cartridge with P100 Filter	F	i
N75001L	1021549	Organic Vapor respirator cartridge	F	i
N75003L	1046401	Organic Vapor and Acid Gas (OV/AG) respirator cartridge	F	i
75SCL	1021559	Defender multi-gas vapor cartridge	F	i
75FFP100	1021558	Low profile P100 filter, 2/pk	F	i
75FFP100NL	1024593	Flexible, low profile P100 filter with odor relief, 2/pk	F	i

TABLE 27. ESCAPE RESPIRATOR

Honeywell #	Fastenal #	Description	ECOM	Info
7900 Series Escape Mouthbit				
7902	1021573	Emergency escape mouthbit respirator complete for acid gas (Chlorine, Chlorine Dioxide, Hydrogen Chloride, Hydrogen Sulfide, Hydrogen Chloride, Hydrogen Sulfide, Hydrogen Fluoride, and Sulfur Dioxide). Contains one mouthbit respirator with belt clip	F	i



For more Information
fastenal.com

Top Sellers Interactive Catalog 11/24
©2024 Honeywell International Inc.

Honeywell

FASTENAL[®]